



1660

# SEWER KLEEN

SPECIALTIES FOR MAINTENANCE AND SANITATION SINCE 1947



## FOR MUNICIPALITIES AND FOOD PROCESSING PLANTS

FOREMOST SEWER KLEEN is a highly active product for fast removal of fat and grease deposits in sewer and drain lines. Many city purchasing agents are now specifying it because of its proven ability to unstop clogged sewer lines and prevent pen root growth. FOREMOST SEWER KLEEN is used by packing plants, dairies, and poultry processors to prevent lines being clogged with fat, wax, grease, feathers, and hair. Eliminates dangerous, unhealthy back-up of disease-laden waste.



## EASY-TO-USE

FOREMOST SEWER KLEEN'S powerful chemical solvent is augmented by its catalytic and penetrating action. For clogged commercial drains, use 4 to 8 ounces of Sewer Kleen and add 1 to 2 quarts of cold water. After a half-hour, flush drain with additional cold water. A fraction of the unclogging charge used periodically will keep lines clean and free of build-up, assuring fast and sanitary waste disposal at all times.



## FAST

Depending on requirements, use 1 to 10 lbs. of Sewer Kleen for unstopping large sewers. As a preventive measure, one-half to 2 lbs. should be poured in weekly.

This material is highly alkaline, and care should be used in handling to avoid contact with hands and skin. It should not be used on wood, aluminum, painted surfaces, or floor coverings.

Authorized by USDA for use in  
federally inspected meat and poultry plants.

Packed in 55 Gallon Drums and 50 lb. Pails


Rev. 7-23-14

Toll Free: 800-238-5150  
Local: 901-363-4340  
Fax: 901-375-3600

### Delta Foremost Chemical Corp.

3915 AIR PARK ST. • P.O. BOX 30310 • MEMPHIS, TENNESSEE 38130-310

Visit our Web Site at:  
[www.deltaforemost.com](http://www.deltaforemost.com)



# TECHNICAL DATA

## FOREMOST 1660 SEWER KLEEN

Rev. 11-13-03

**DESCRIPTION:** An active product designed for fast and efficient cleaning and unclogging of drain lines, sewers, traps, etc. In addition to its powerful chemical performance, its effectiveness is also augmented by a catalytic and penetrating action.

**APPLICATION:**

1. To unclog city sewers, and to digest and prevent pen root growth in same.
2. Washroom drains in all business establishments and institutions.
3. Packing house drains for dissolving fat, grease and hair.
4. Unclogging grease traps.
5. Applicable wherever clogged drains are found.

**DIRECTIONS:** **FOR CLOGGED DRAINS IN SINKS, TUBS, WASHBOWLS AND TRAPS:** Pour 1 to 4 ozs. FM 1660 Sewer Kleen into drain opening. Rinse with 1 to 2 pints cold water. **DO NOT USE FOR AT LEAST HALF AN HOUR.** Give it time to work down into the pipe and trap. Add additional cold water if drain water boils up. After half an hour flush with cold water. If drain or traps are still clogged repeat the treatment.

**FOR LARGE FLOOR AND OTHER DRAINS, SEWERS, ETC,:** Follow same directions as above except use 1 to 10 lbs. Foremost 1660 Sewer Kleen depending on individual requirements. As a preventative, use ½ to 2 lbs. per drain weekly or as often as needed.

**PRECAUTIONS:** **KEEP OUT OF REACH OF CHILDREN.** Contains Sodium Hydroxide. Causes severe burns to skin and eyes. Avoid contact with skin, eyes and clothing. Do not get in eyes, on skin or clothing. Do not take internally. Avoid breathing fumes. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling. When handling always wear chemical splash goggles, face shield, rubber gloves and protective clothing.

**FIRST AID: EYES AND SKIN:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Remove contaminated clothing and footwear. Wash clothing before reuse. Destroy contaminated footwear. **INGESTION:** If swallowed, do not induce vomiting. If person is conscious, give large quantities of water or milk, if available. Get medical attention immediately.

Do not use on wood, painted surfaces, aluminum or other soft, non-ferrous metals.

Before using this product, read the Material Safety Data Sheet (MSDS) for more detailed information regarding safe handling.