



4570-ES
SANI-FOG

SPECIALTIES FOR MAINTENANCE AND SANITATION SINCE 1947

REDUCE THE THREAT OF MRSA/DEADLY INFECTIONS



Net Wt. 6 oz. (170 g.)

16 Doz. or
4/48 cases

8 Doz. or
2/48 cases

4 Doz. or
1/48 case

SANI-FOG IS EFFECTIVE! Deodorizes and sanitizes in one hands free application. One product eliminates offensive odors and disinfects and sanitizes hard nonporous, nonfood-contact surfaces.

SANI-FOG IS THOROUGH! Sani-Fog's virus and bacteria killing, deodorizing fog penetrates areas that are not easily accessible.

SANI-FOG IS PLEASANT! The fresh citrus fragrance is pleasing and does not have the "medicinal" odor commonly associated with sanitizing, disinfecting aerosols.

SANI-FOG DEODORIZES TWO WAYS! The pleasant citrus fragrance suppresses existing unpleasant odors while controlling microorganisms that could continue to create foul, putrefactive odors.

SANI-FOG IS BROAD SPECTRUM! Virucidal, Tuberculocidal, Fungicidal, Bactericidal, Pseudomonocidal, Staphylocidal/MRSA, Controls mildew/mold, and fungi.

SANI-FOG IS EASY TO USE! Simply place on several layers of newspaper or pad on a table or stand in the center of the room. Depress valve button until it locks. Leave building or room at once and seal area for two hours before airing out. Open doors and windows for 30 minutes to ventilate before reentering the area.

SANI-FOG IS ECONOMICAL! One aerosol deodorizes and sanitizes 6000 cubic feet of area. Self-dispensing aerosol reduces labor costs.

RECOMMENDED FOR: Schools, Hospitals, Universities, Athletic Clubs, Country Clubs, Transit Authorities, Detention Facilities, Restaurants, Hotels, Industrial Accounts, Food Processors, Nursing Homes, Assisted Care Living Facilities, Casinos, Military Bases, Office Buildings, Cafeterias, City, County, State, and Federal Government Facilities



SCHOOL BUSES/MASS TRANSIT



SPAS & WORKOUT AREAS



CORRECTIONAL FACILITIES



LOCKER ROOMS

Rev. 5-30-14

Toll Free: 800-238-5150
Local: 901-363-4340
Fax: 901-375-3600

Delta Foremost Chemical Corp.
3915 AIR PARK ST. • P.O. BOX 30310 • MEMPHIS, TENNESSEE 38130-310

Visit our Web Site at:
www.deltaforemost.com



TECHNICAL DATA

FOREMOST 4570-ES SANI-FOG

Rev. 03-30-11

DESCRIPTION: An excellent disinfectant, antimicrobial agent and two-way deodorizer for use on pre-cleaned, hard, nonporous surfaces, including toilets, urinals, bathtubs, shower stalls, seats, benches, lockers, partitions, counters, fixtures, knobs, handles, railings, telephones, furniture, equipment and many other similar public and private items and surfaces which could harbor hazardous microorganisms.

APPLICATION: **FOR USE IN:** Industrial, Institutional, Commercial, Medical, and Residential facilities, equipment, and vehicles, including hospitals; ambulances; nursing homes; medical and dental offices and clinics; veterinary offices and animal areas; schools; laboratories; hotels and motels; restaurants and cafeterias; food storage, processing, packaging, handling, and serving establishments and equipment; offices; stores; factories and manufacturing plants; and apartment buildings and homes. **VIRUCIDAL*** - Kills Human Immunodeficiency virus Type 1 (HIV-1), Herpes simplex Types 1 and 2, Influenza A2/Hong Kong, Adenovirus Type 5, Vaccinia, Infectious canine hepatitis, Canine distemper, Feline pneumonitis and Avian Influenza A virus (H5N1). **BACTERICIDAL** - Kills these species: Escherichia coli; Pseudomonas aeruginosa; Salmonella enterica; Salmonella schottmuelleri (paratyphoid B); Shigella dysenteriae; Streptococcus pyogenes; Staphylococcus aureus; and Methicillin-resistant Staphylococcus aureus (MRSA). **TUBERCULOCIDAL** - Kills Mycobacterium tuberculosis (Tubercle bacilli). **FUNGICIDAL** - Kills Trichophyton mentagrophytes ("athlete's foot" fungi) in appropriate areas, such as on shower room floors, locker room benches and bath mats. **CONTROLS MOLD/MILDEW** - Completely inhibits the growth of Aspergillus niger and Penicillium variable fungi on cloth. **SANITIZES** - Controls Staphylococcus aureus and Klebsiella pneumoniae on porous fabric and leather surfaces, such as on shoes, athletic mats, athletic shoes and other athletic equipment.

DIRECTIONS: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is not to be used on any surface or instrument that (1) is introduced directly into the human body, either in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. **DO NOT** use more than one fogger per room. **DO NOT** use in small, enclosed spaces such as closets, cabinets, or under counters or tables. **DO NOT** use in a room 5 feet by 5 feet or smaller; instead, allow fog to enter from other rooms. **Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames, or running electrical appliances that cycle off and on.** Call your gas utility or management company if you need assistance with your pilot lights. Do not use this unit in an area less than 100 cubic feet. **SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.** Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry. **TO OPERATE VALVE:** To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes. **TO KILL HIV-1 ON PRECLEANED SURFACES/OBJECTS** in health care or other settings with inanimate environmental surfaces/objects associated with the potential for transmission of HIV-1 and likely to be soiled with blood/body fluids, follow these additional **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:** **PERSONAL PROTECTION** - Barrier protection items such as disposable latex gloves, gowns, masks, and eye coverings should be worn when handling items soiled with blood/body fluids. **CLEANING PROCEDURE** - Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of this product as a disinfectant. **CONTACT TIME** - Same as for disinfecting. **DISPOSAL OF INFECTIOUS MATERIALS** - Blood/body fluids and other materials removed from or used to clean surfaces/objects should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

STORAGE AND DISPOSAL - GENERAL: Do not contaminate other materials (including foods/drinks/feeds/water) during transport, use, storage, and disposal. If damaged or leaking, soak up and wrap any waste, then dispose of. **STORAGE:** Keep in a cool, dry, locked area inaccessible to children and away from sources of heat and ignition (including flames, sparks, hot surfaces, and sunlight). **DISPOSAL:** Do not puncture or incinerate!

PRECAUTIONS: **HAZARDS TO HUMANS AND DOMESTIC ANIMALS. WARNING:** Causes eye irritation; do not get in eyes, on skin, or on clothing. May be harmful if swallowed. Avoid breathing spray mist or vapors. **FOR USE AS A TOTAL RELEASE AIR DEODORIZER ONE UNIT TREATS UP TO 6,000 CUBIC FEET PHYSICAL/CHEMICAL HAZARDS:** **Highly Flammable Ingredient.** Contents under pressure. Keep away from heat, sparks, pilot lights, and flames. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54°C) may cause bursting. **Extremely Flammable.** **FIRST AID - If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration. Call a poison control center or doctor for further treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If swallowed:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.