



# 602-ES DRI 'N LUBE

SPECIALTIES FOR MAINTENANCE AND SANITATION SINCE 1947



- **DISPLACES WATER, MOISTURE.**
- **PENETRATES, SEALS AND LUBRICATES ALL SURFACES.**
- **PROTECTS AGAINST RUST, CORROSION.**
- **IMPROVES ELECTRICAL PROPERTIES.**

**CONTAINS NO CFC'S OR OTHER OZONE DEPLETING SUBSTANCES**

## LUBRICATES, STOPS RUST, PENETRATES

**EASE-OF-USE** — Aerosol dispenser for convenience. Pressurized spray propels moisture-fighting contents into even the smallest crevices.

**SPRAY DRI 'N LUBE** into and on equipment until the surface is thoroughly wet. This removes condensation, moisture, oils and enhances electrical properties of components.

**UNIQUE BLEND** of solvents, dispersants and penetrants composed of rust-preventive ingredients.

**FAST PENETRATING** characteristics relieve the friction bind of parts and fittings - fast! Employees appreciate the "helping hand" of DRI 'N LUBE, makes mechanical and electrical repair much easier.

**DRI 'N LUBE** is not an ordinary penetrating oil. Its distinctive features and versatility make it the best product of its type.

### NOTE

The condition of equipment and atmospheric conditions are factors in the time necessary for full effectiveness in moisture removal.

### DRI 'N LUBE is indispensable for:

- Ignition Systems • Battery Terminals
- Coin Operated Machines • Circuit Breakers
- Relays • Motors & Windings
- Wire Terminals & Connectors
- Switches & Controls • Meters
- Fuse and Junction Boxes • Rectifiers
- Mechanical Equipment
- Other Places Where Surface Moisture is a Problem.

4 Doz.  
or  
1/48 case

8 Doz.  
or  
2/48 cases

16 Doz.  
or  
4/48 cases

Net Wt. 15 Oz.  
(Can Size 20 Oz.)

Rev. 02-24-06

Toll Free: 800-238-5150  
Local: 901-363-4340  
Fax: 901-375-3600

**Delta Foremost Chemical Corp.**  
3915 AIR PARK ST. • P.O. BOX 30310 • MEMPHIS, TN 38130-0310

Visit our Web Site at:  
[www.deltaforemost.com](http://www.deltaforemost.com)



# TECHNICAL DATA

## FOREMOST 602-ES DRI 'N LUBE

Rev. 3-13-13

**DESCRIPTION:** A unique blend of solvents, dispersants and penetrating ingredients. Dri 'N Lube is composed of rust-preventative film-forming materials with excellent adhesion to metal surfaces. The rust preventative film is almost invisible. Buildup is so light that it can be applied periodically to protect the finished steel surface of machinery in service. Distinctive characteristics include lubricating and water displacing properties.

**APPLICATION:** Recommended for all maintenance men, mechanics, machinists, pipe fitters, plumbers, etc. It has unlimited uses in the automotive, marine, aviation, electrical and mechanical maintenance fields. It is an invaluable tool in loosening nuts and bolts and parts that have been corroded and frozen together. Some uses would be distributors and starters in cars, typewriters, calculating machines, electric tools, air conditioners, radios, appliances, electrical and mechanical parts of vending machines in restaurants, industries, offices, motor repair shops, etc.

**DIRECTIONS:** Cover or protect any items that might be harmed by the dripping moisture, dirt and other debris that may be flushed from treated surfaces. Remove protective cap, hold can upright, aim toward surface to be treated and press firmly on spray button. Starting at highest part of surface and spraying downward, apply a continuous wet coating over the area to be treated. Use the flushing action of the spray to assist in removal of moisture, condensation, oil, grease, dirt and other accumulated debris. Allow surface to dry thoroughly before use.

**ATTENTION:** Do not get product on walked-upon surfaces; they could become slippery, especially when wet.

**PRECAUTIONS:** **CAUTION:** Flammable. Do not smoke, extinguish all flames, sparks, and other sources of heat or ignition during use. Avoid eye contact. If in eyes, flush immediately with water. Remove any contact lenses, and hold eyelids open and continue flushing thoroughly. **KEEP OUT OF REACH OF CHILDREN.**

Do not transport, use, store, or dispose of near flames, sparks, or other sources of heat or ignition. Containers exposed to direct sunlight or otherwise heated above 120°F (49°C) may burst. Store in a cool, dry area inaccessible to children. Do not puncture or incinerate container. For disposal, refasten protective cap on container and discard in trash.

**FIRST AID:** **EYES:** Flush with large amounts of water. Call physician if irritation persists.

**SKIN:** Wash with soap and water.

**INGESTION:** Do not induce vomiting. See physician immediately.

**INHALATION:** Remove to fresh air.

Before using the product, read the Material Safety Data Sheet (MSDS) for more detailed information regarding safe handling.